AudioWind
Electronics-Salon

SPECIFICATION

Model: A-140



Schematic:


OUTPUT
Left-OUT
Right-OUT
CH-4
CH-3
CH-2
CH-1
CH4-R
CH4-L
CH3-R
CH3-L
CH2-R
CH2-L
CH1-R
CH1-L
RLY8
RLY7
RLY6
RLY5
RLY4
RLY3
RLY2
RLY1
VCC
SW-4
SW-3
SW-2
SW-1
For XLR / Balanced Stereo Connect
Left
Right
XLR-L
XLR-R
2L
3L
2R
3R
LED4
LED3
LED2
LED1
R1
4.7K
SW-4WAY
Power Supply

PCB size:


Ø4x 3.2mm
CH1–L
CH1–R
CH2–L
CH2–R
CH3–L
CH3–R
CH4–L
CH4–R
2 1 3
CN1
CN2
CN3
CN4
CN5
CN6
CN7
CN8
CN9
CN10
CN11
L–OUT
R–OUT
VCC
GND
RLY1
RLY2
RLY3
RLY4
RLY5
RLY6
RLY7
RLY8
R1
A–140 VER: 1.0
ELECTRONICS–SALON
TO ROT. SW
TO EX. LED
CN12
CN13
GND 1 2 3 4
A 1 2 3 4
LED1
LED2
LED3
LED4
50mm
44mm
109mm
115mm